

Continue



User Guide for ZHIYUN models including: SMOOTH 4, Professional Gimbal Stabilizer ZHIYUN Smooth 4 capture more advanced footage. Smooth 4 will be your great and innovative camera assistant. Please read the user manual carefully before using the product. SMOOTH 4 - oss.zhiyun-tech.com Manual Reposition In pan following mode or locking mode, you can rotate phone to the angle that you want, then release it and phone angle can be fixed. In pan following mode, you can manually adjust tilt angle and in locking mode you can manually adjust tilt axis and pan axis angle. The Use of Stabilizer DO NOT charge via the Micro USB SM4 ZHIYUN-v1.10SMOOTH 4 User Guide Contents Product Introduction 1 Get to Know Smooth 4 2 Battery and Charging Instructions 3 Installation 4 The Use of Stabilizer 6 The Use of APP 13 Calibration and Firmware Upgrade 15 Basic Specifications 17 Disclaimer and Warning 19 Warranty Terms 24 Contact Card 27 Product Introduction Product Introduction Thanks for using ZHIYUN products. ZHIYUN TM products bring you the fun of more professional shooting. As the latest flagship phone stabilizer born for filmmakers, Smooth 4 is equipped with diverse function keys. It can navigate camera parameter settings and realize zooming and focusing. Its four redesigned working and operating modes can capture more advanced footage. Smooth 4 will be your great and innovative camera assistant. Please read the user manual carefully before using the product. Packing List The product comes with the following items. In case that any item is found missing, please contact ZHIYUN or your local selling agent. Smooth 4 Stabilizer 1 Tripod 1 Carrying Case 1 USB Cable 11 Get to Know Smooth 4 Get to Know Smooth 4 17289310114 1251361. Roll Axis Thumb Screw 2. Phone Clamp 3. Mobile Charging Port 4. Zoom/Focus Handwheel 5. Control Panel (see more on Page 6) 6. 1/4 Threaded Hole 7. Mobile Clamp Thumb Screw 8. Tilt Axis Motor 9. Roll Axis Motor 10. Fixing Buckle 11. Pan Axis Motor 12. Type-C USB Port 13. Trigger Button (see more on Page 6) 2 Battery and Charging Instructions Battery and Charging Instructions Smooth 4 is charged by built-in Li-ion batteries. During first use of Smooth 4, please fully charge it to activate batteries and guarantee the appropriate use of Smooth 4. Charging method: Connect Type-C cable provided in the package with adapter and Smooth 4. Installation Installation of Tripod Get the tripod ready and tighten it to the 1/4" threaded hole at the bottom of the stabilizer, then unfold the tripod on a flat surface. 3 Installation Installation of Phone Push and hold open the camera clamp, slide the smartphone in as close as possible against the tilt axis motor, and clamp on. You can also loosen the Mobile Clamp Thumb Screw on the back and rotate the clamp to make the phone vertical. Please do not turn on the Smooth 4 before putting in the phone. 4 Installation Balancing If the smartphone fails to stay in level and keeps tilting when mounted, loosen the Roll (Y) Axis Thumb Screw to adjust the gravity center by sliding the horizontal arm (as marked red in the Figure) until the smartphone stays still and vertical on the tilt axis. Tighten the Thumb Screw after the smartphone is well balanced in level to ensure normal operations. Proper adjustment of gravity center ensures better power saving during operation. The stabilizer may still function well when the gravity center is not properly configured, however, it may lead to more power consumption on the motors, and can greatly affect the torque output. 5 The Use of Stabilizer The Introduction of Control Panel Menu/Return Button [] In general menu, press the button once to enter parameter adjustment menu; In parameter adjustment menu, click the button to save settings and return to previous option; Zoom/Focus Handwheel Handwheel can adjust the focal length of phone camera focus and its zoom ratio. Handwheel Zoom/Focus Switch Button [] Press the button once to switch functions When the button light is on, handwheel on the side controls the zoom of phone camera lens. When the button light is off, handwheel on the side controls the focus of phone camera lens. 6 The Use of Stabilizer Parameter Display Button [] Press the button once to display/close shooting parameters; In album mode, press the button once to display/photo parameters; Long press the button to automatically return to "Full Auto Mode" on the APP. Resolution Ratio/Frame Rate Selection Button [] Press the button once to enter resolution ratio/frame rate adjustment menu. Camera Switch Button [] Press the button once to switch between front and rear phone cameras. Album Mode Button [] Press the button once to enter phone album and playback photos or videos. Confirm/LED Light Button [] The Button works as Confirm Button when pressed once; Long Press the button to turn on/off Fill Light. Exposure Compensation Button [] Press the button once to enter exposure compensation adjustment menu. Thumb Wheel Rotate the Thumb Wheel to adjust current option parameters. Photo Button [] Single press to take pictures. The Use of Stabilizer Video Button [] Single press to start or stop recording. Mode Switch Button Push slider up to enter PF (Pan Following) Mode; Push slider down to enter L (Locking) Mode. Power Button [] Press the button for 2 seconds to turn on/off the stabilizer; Battery Level Indicator The button shows how much power is left. 0-25%: one blue light; 25-50%: two blue lights; 50-75%: three blue lights; 75-100%: four blue lights. "PhoneGo" Mode Button - Full-speed Following Mode Button When pressing this button, the stabilizer enters Fullspeed Following Mode - "PhoneGo". Smooth 4 can then follow your move synchronously at full speed. Following Mode Button When pressing the button, the stabilizer enters following mode; When double pressing the button, the tilt axis motor and roll axis motor go back to initial state. 1. In standby mode, the stabilizer can still adjust phone camera parameters; 2. Part of the function buttons mentioned above can only be used when the stabilizer is connected to "ZY Play" App in the phone. 8 The Use of Stabilizer The Introduction of Operation Mode Buttons on the Front/Pan-Following Mode: Tilt axis and roll axis motors are locked and phone follows handle to move in the horizontal direction. Buttons on the Front/Locking Mode: All three axes are locked and phone does not follow handle to move. 9 The Use of Stabilizer Buttons on the Back/Following Mode: The roll axis is locked and phone follows the handle to move in the tilt and horizontal direction. 10 The Use of Stabilizer Quick Switch to Standby Mode While stabilizer is powered on, put the horizontal arm down by hand, the horizontal arm is automatically locked with Fixing Buckle and the stabilizer enters standby mode. Before turning on or waking up stabilizer, manually separates stabilizer from the Fixing Buckle. Moving horizontal arm to horizontal position to wake up stabilizer. 11 The Use of Stabilizer Manual Reposition In pan following mode or locking mode, you can rotate phone to the angle that you want, then release it and phone angle can be fixed. In pan following mode, you can manually adjust tilt angle and in locking mode you can manually adjust tilt axis and pan axis angle. Charging Phone To charge the phone, you should use the cable with one end as Micro USB port and another as charging port for phone, connect stabilizer and phone, then stabilizer starts charging the phone. DO NOT charge via the Micro USB port on tilt axis, otherwise it may lead to a short or burn in the circuit board. 12 The Use of APP Downloading APP Download the APP from ZHIYUN's official website www.zhiyun-tech.com, or by directly scanning the QR code on the left (Android 5.0 above or iOS9.0 above required) to download. iOS or Android users can also download the APP by searching "ZY Play" in APP Store/Android Store. 1. You can make the most use of the functions matching the Smooth 4 tailor-made "ZY Play" APP. 2. The ZHIYUN APP is subject to regular update, try out now to discover more functions. How to connect. 1. Power on the stabilizer and phone, then phone bluetooth. 2. Open "ZY Play" APP and Tap "Connect Your Device" to connect the stabilizer. 13 The Use of APP The Introduction of Main Features Quick Adjustment of Camera Parameter Control of Camera Focus and Zoom Control of Camera Video and Photo Object Tracking Stabilizer Parameter Setting Stabilizer Calibration ZY Play Time Lapse Panoramic Shooting When the stabilizer needs calibration Please calibrate stabilizers when needed. When How 1. Slight deviation is found in the tilt angle of the camera in level position after startup. 2. Slight deviation is found in the roll angle of the camera in level position after startup. Conduct 2. Stabilizer unused for a long time. six-side 3. Too large temperature difference between calibration operation environments. Slight deviation is still found in the tilt or roll angle of the camera in level position after the Fine tuning initialization and six-side calibration of the motor force stabilizer. 4 Calibration and Firmware Upgrade Initialization Method After activating stabilizer and entering stand-by mode, put the stabilizer on the ground and wait for 30 seconds, then the initialization of stabilizer is finished. If the angle deviation still persists after the initialization, please try again following the procedure. Six-side Calibration Six-side calibration through APP. Please refer to "APP Operations" on Page 13 for more information; Connect the stabilizer to ZHIYUN's APP - "ZY Play" - via Bluetooth, enter "calibration" and finish the six-side calibration following the APP instruction. Six-side calibration is to make all six sides of the phone clamp vertical to the level surface. 15 Calibration and Firmware Upgrade Motor Fine-tuning Please refer to "APP Operations" on Page 13 for more information; Connect the stabilizer to ZHIYUN's APP - "ZY Play" - via Bluetooth, enter "PTZ" and adjust the value of the tilt and roll axis angle to your actual needs. Firmware Upgrade Step USB Connect the stabilizer to your computer via Micro USB cable to get ready for the firmware upgrade and calibration. 1. Visit ZHIYUN's official website: www.zhiyun-tech.com; Click "DOWNLOAD" and find the Firmware Upgrade Tutorial package, then download the driver, calibration tool and latest firmware corresponding to your stabilizer. (USB driver installation is not needed for Mac and WIN 10 system). 2. Connect the stabilizer to your computer via Micro USB cable, power on the stabilizer and finish the installation of the driver. 3. Power on the stabilizer and long press mode button to enter standby mode. 4. Enter the downloaded "Zhiyun Gimbal Tools" and upgrade firmware following the instructions indicated in the Firmware Upgrade Tutorial. 16 Basic Specifications Product model: SMA04 Min. Standard Max. Remarks Operation Vol. 7.4V Operation Current 120mA 2500mA Charging Input Vol. 4.7V 5V 5.5V Charging Input Current 500mA 2000mA Power Output Vol. -5V -Power Output Current -1500mA Built-in Battery Volume - 2000mAh * 2 - Tilt Angle Range - 240 - Roll Angle Range - 240 - Pan Angle Range - 300 - Operation Temperature - 10 to 25°C Operation Time - 12h Experimental - Data 1 Charging Time - 3.5h Experimental - Data 2 Charging Environment - 5 + 60°C Temperature Payload 75g - 210g Horizontal Arm - 10mm - Adjustment Range Clamp Range 65mm - 82mm Application Sphere Any smart phone with width within the range of clamp 17 Basic Specifications * 1 This data is gathered when the temperature is 25 and the stabilizer is properly balanced. * 2 Smooth 4 is protected and stops charging when the charging temperature is too high in order to protect device and batteries. When the temperature is 25 , please use SV/ZA battery charger to proceed this test. The charging time varies according to different environment and actual results may be different. All the data in this guide is gathered from internal experiments of Zhiyun laboratories. Under different scenarios, data is different to some extent and please refer to actual use of Smooth 4. 18 Disclaimer and Warning Thank you for using ZHIYUN Smooth 4. The information contains herein affects your safety and your legal rights and responsibilities. Read this entire document carefully to ensure proper configuration before use. Failure to read and follow the instructions and warnings herein may result in serious injury to you or bystanders, or damage to your device or property. ZHIYUN reserves the right of final explanation for this document and all relevant documents relating to Smooth 4, and the right to make changes at any time without notice. Please visit www.zhiyun-tech.com for the latest product information. By using this product, you hereby signify that you have read this document carefully and that you understand and agree to abide by the terms and conditions herein. You agree that you are solely responsible for your own conduct while using this product, and for any consequences thereof. You agree to use this product only for purposes that are proper and in accordance with all terms, precautions, practices, policies and guidelines ZHIYUN has made and may make available. ZHIYUN TM accepts no liability for damage, injury or any legal responsibility incurred directly or indirectly from the use of this product. Users shall observe safe and lawful practices including, but not limited to, those set forth herein. 19 Disclaimer and Warning ZHIYUN TM is the trademark of Guilin Zhishen Information Technology Co., Ltd. (hereinafter referred to as "ZHIYUN" or "ZHIYUN TECH") and its affiliates. All product names or marks referred to hereunder are trademarks or registered trademarks of their respective holders. This guide is for reference only and does not constitute any kind of commitment. Product(s) including but not limited to its color, size, etc., are subject to the actual product. Glossary The following terms are used throughout the product literature to indicate various levels of potential harm when operating this product. WARNING: Procedures, which if not properly followed, may incur property damage, grave accident, or serious injury. CAUTION: Procedures, which if not properly followed, may incur property damage and serious injury. NOTICE: Procedures, which if not properly followed, may incur property damage or minor injury. 20 Disclaimer and Warning Reading Tip Symbol Description: Operation and Use Tips Important Notes Data charges may occur when you scan QR code to read or download the electronic user manual online, so you'd better process under WIFI environment. Warning Read the ENTIRE User Guide to become familiar with the features of this product before operating. Failure to operate the product correctly can result in damage to the product or personal property and cause serious injury. This is a sophisticated product. It must be operated with caution and common sense and requires some basic mechanical ability. Failure to operate this product in a safe and responsible manner could result in injury or damage to the product or other property. This product is not intended for use by children without direct adult supervision. DO NOT use with incompatible components or in any way otherwise as mentioned or instructed in the product documents provided by ZHIYUN. The safety guidelines herein contain instructions for safety, operation and maintenance. It is essential to read and follow all of the instructions and warnings in the User Guide, prior to assembly, setup or use, in order to operate the product correctly and avoid damage or serious injury. 21 Disclaimer and Warning Safe Operation Guidelines CAUTION 1) Smooth 4 is a high-precision control device. Damage may be caused to Smooth 4 if it is dropped or subject to external force, and this may result in malfunction. 2) Make sure the rotation of the gimbal axes is not blocked by external force when Smooth 4 is turned on. 3) Smooth 4 is not waterproof. Prevent contacts of any kind of liquid or cleaner with CRANE 2. It is recommended to use dry cloth for cleaning. 4) Protect Smooth 4 from dust and sand during use. WARNING To avoid fire, serious injury, and property damage, observe the following safety guidelines when using, charging, or storing your batteries. NOTICE Battery Use Make sure the batteries are fully charged before each time of use. Battery Charging The battery will stop charging automatically when it is full. Disconnect the batteries from the charger when fully charged. 22 Disclaimer and Warning Battery Storage 1. Discharge the battery to 40%-65% if it will NOT be used for over 10 days. This can greatly extend the battery life. 2. The battery enters hibernation mode when voltage gets too low. Charge the battery will bring it out of hibernation. Certificate of Quality This product is confirmed to meet quality standards and permitted for sale after strict inspection. QC Inspector: Please download the latest version from www.zhiyun-tech.com This document is subject to change without notice. ZHIYUN TM is a trademark of ZHISHEN. Copyright 2019 ZHISHEN. All rights reserved. 23 Warranty Terms Warranty Period 1. Customers are entitled to replacement or free repair service in case of quality defect(s) found in the product within 15 days upon receipt of the product. 2. Customers are entitled to free repair service from ZHIYUN for any product proven defective in material or workmanship that results in product failure during normal consumer usage and conditions within the valid warranty period, which is 12 months counting from the date of selling. 3. Some states or countries do not allow limitations on how long an implied warranty lasts, so the above warranty term may not apply to you. This warranty does not apply to the followings. 1. Products subjected to unauthorized repair, misuse, collision, neglect, mishandling, soaking, accident, and unauthorized alteration. 2. Products subjected to improper use or whose labels or security tags have been torn off or altered. 3. Products whose warranty has expired. 4. Products damaged due to force majeure, such as fire, flood, lightning, etc. 24 Warranty Terms Warranty Claim Procedure 1. If failure or any problem occurs to your product after purchase, please contact a local agent for assistant, or you can always contact ZHIYUN's customer service through email at service@zhiyun-tech.com or website at www.zhiyun-tech.com. 2. Your local agent or ZHIYUN's customer service will guide you through the whole service procedure regarding any product issue or problem you have encountered. ZHIYUN reserves the right to reexamine damaged or returned products. 25 Warranty Terms Customer information Customer Name : Contact No : Address : Sales Information Sales Date : Prod. Serial No : Dealer : Contact No : #1 Maintenance Record Service Date : Signature of Repairman : Cause of Problem : Service Result : Solved Unsolved Refused (Replaced) 26 Contact Card Website Weibo Vimeo Google+ Facebook Wechat Youku Youtube Tel: +86 (0) 773-3561275 USA Hotline: +1 808-319-6137 9:00-18:00 GMT7 Mon-Fri Europe Hotline: 0031-297303057 10:00-17:00 GMT+1 Mon-Fri Web: www.zhiyun-tech.com E-mail: service@zhiyun-tech.com Address: 6th floor Building No.13 Creative Industrial Park, GuiMo Road Qixing District, Guilin 27 Adobe PDF Library 15.0 Adobe InDesign CC 14.0 (Windows) How to Connect Smooth 4 to iPhone Have you been searching for a way to get smooth, professional-looking videos from your iPhone? If so, then the Zhiyun Smooth 4 gimbal is exactly what you need! The Zhiyun Smooth 4 is an advanced three-axis handheld stabilizer that allows users to capture smooth and stable footage with their iPhones. It works by counteracting any unwanted movement or shake that can ruin a video or photo. This means that you can capture stunningly smooth footage even when walking or running, giving your videos a cinematic feel. It also allows you to tilt and pan your phone to get the right angle. In this guide, we will show you how to connect your Zhiyun Smooth 4 to your iPhone. This Zhiyun Smooth 4 iPhone setup guide is a must-read if you want to connect this gimbal to your iPhone properly, so read on! Before you get started, you will need to activate Bluetooth on your iPhone so you can establish a Zhiyun Smooth 4 Bluetooth connection with your phone. In your iPhone settings, go to Bluetooth and turn on Bluetooth. You will also need to get Bluetooth set up on your Zhiyun Smooth 4. To do that, power on the Smooth 4. Once you've set up Bluetooth on your iPhone and turned on your stabilizer, you can connect your Zhiyun Smooth 4 to your smartphone. For Zhiyun Smooth 4 smartphone pairing, you will need the ZY Play app on your iPhone, which you can download from the App Store. In the app, click on Connect Your Device to connect your gimbal to your phone. See also How to Fix iPhone 6 Plus Reboot Loop Problem Its also possible to use the Zhiyun Smooth 4 without the app. You can use it, similar to a selfie stick or tripod, to position your phones camera. However, you wont be able to control your phone from the Zhiyun Smooth 4 without ZY Play. Many, if not most, of the functions will not work. For example, you wont be able to take a picture by pressing the button on your gimbal. Some functions, like switching to Lock Mode via the slider to ensure the phone is in a locked, position, may still work. The Zhiyun Smooth 4 offers iPhone compatibility via the ZY Play app on the App Store. Its a great gimbal for the iPhone 13 Pro Max, if you have one, given the Zhiyun Smooth 4s iPhone 13 Pro Max compatibility. The Zhiyun Smooth 4 iPhone video stabilizer will greatly improve your videography and photography skills. You will be able to take smooth videos with the Zhiyun Smooth 4 and ensure you get the right angle at all times. Zhiyun Smooth 4 iPhone connection benefits include the ability to control your phones camera from the gimbal, allowing for a more convenient experience when shooting. Page 2 Page 3 Page 4 Page 5 Page 6 Page 7 Page 8 Page 9 Page 10 Page 11 Page 12 Page 13 Page 14 Page 15 Page 16 Page 17 Page 18 Page 19 Page 20 17 Built-in Battery Volume - 2000mAh * 2 - Tilt Angle Range - 240 - Roll Angle Range - 240 - Pan Angle Range - 300 - Operation Time - 12h - Data 1 Charging Time - 3.5h - Data 2 Payload 75g - 210g Clamp Range 65mm - 82mm Page 21 Page 22 Page 23 Page 24 Page 25 Page 26 Store Reddit and its partners use cookies and similar technologies to provide you with a better experience. By accepting all cookies, you agree to our use of cookies to deliver and maintain our services and site, improve the quality of our services and site, improve the effectiveness of advertising. By rejecting non-essential cookies, Reddit may still use certain cookies to ensure the proper functionality of our platform. For more information, please see our Cookie Notice and our Privacy Policy. Reddit and its partners use cookies and similar technologies to provide you with a better experience. By accepting all cookies, you agree to our use of cookies to deliver and maintain our services and site, improve the quality of our services and site, improve the effectiveness of advertising. By rejecting non-essential cookies, Reddit may still use certain cookies to ensure the proper functionality of our platform. For more information, please see our Cookie Notice and our Privacy Policy.

Zhiyun smooth q3 combo grijs. Zhiyun smooth 4 kurulum. Zhiyun smooth 4 connect bluetooth android. Zhiyun smooth x essential combo white. Zhiyun smooth 4 bluetooth reset. Zhiyun smooth 4 pairing mode. Zhiyun smooth 4 bluetooth pairing mode. Zhiyun smooth x white.